EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107572	(TCP or "transmission control protocol")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:35
L2	85159	stack same (offload $4 or stor$3 or queu$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:37
L3	1043	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:41
L4	1279	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:42
L5	1106	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:43

L6	561	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:43
L7	160	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP and NIC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:44
L8	134	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP and NIC and initializ $6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 15:36
L9	125	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP and NIC and initializ $6 and updat$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 15:37

L10	102	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP and NIC and initializ $6 and updat$6 and pars$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 15:38
L11	102	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP and NIC and initializ $6 and updat$6 and pars$4 and (frame or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 15:38
L12	14	stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP and NIC and initializ $6 and updat$6 and pars$4 and (frame or packet) and upload$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 15:39

| L13 | 102 | stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP and NIC and initializ $6 and updat$6 and pars$4 and (frame or packet) and (upload$5 or updat$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/09 15:40 |
| L14 | 102 | stack same (offload $4 or stor$3 or queu$5) and table same ("seq no" or "sequence number" or (sequence adj1 number) or ACK or unACK or "time stamp")and memory and TCP and NIC and initializ $6 and updat$6 and pars$4 and (frame or packet) and (upload$5 or updat$5)and table | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/09 15:40 |

5/9/2008 6:12:19 PM
C:\Documents and Settings\emaglo\My Documents\EAST\Workspaces\10731602.wsp